

Microsyringe Cross-Reference Matrix

For Your Convenience

IIS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2100301	001000	87900			5N/F/0.47(26s)/a/51
2100302	001050	87919			5N/F/0.47(26s)/b/51
2100304	001821	87939			5N/F/0.64-0.47(23s-26s)/c/42/HP
2100304		87993			5N/F/0.64-0.47(23s-26s)/c/42/HP
2100305		87930			5N/R/0.47(26s)/a/51
2100401	002000	80300			10N/F/0.47(26s)/a/51
2100402		80383			10N/F/0.47(26s)/b/51
2100404	002050+036410	80339			10N/F/0.47/d/51
2100405	002050	80330			10N/R/0.47(26s)/a/51
2100405	002050	80338			10N/R/0.47(26s)/a/51
2100409	002003	80350			10N/F/0.47(26s)/a/70
2100411	002030	80366			10N/F/0.47(26s)/a/51/6-pk
2100501	003000	80400			25N/F/0.72(22s)/a/51
2100504	003050+038410	80439			25N/F/0.72(22)/d/51
2100505		80430			25N/R/0.72(22s)/a/51
2100601	004000	80500			50N/F/0.72(22s)/a/51
2100604	004050+038410	80539			50N/F/0.72(22)/d/51
2100605	004050	80530			50N/R/0.72(22s)/a/51
2100609		208546			50N/F/0.72(22s)/a/70
2100611		80520			50H/TLT
2100701	005000	80600			100N/F/0.72(22s)/a/51
2100704		80639			100N/F/0.72(22)/d/51
2100705	005050	80630			100N/R/0.72(22s)/a/51
2100709		208646			100N/F/0.72(22s)/a/70
2100711		80620			100N/TLL
2100801	006000	80700			250N/F/0.72(22)/a/51

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2100804		80739			250N/F/0.72(22)/d/51
2100805	006050	80730			250N/R/0.72(22)/a/51
2100811		80720			250N/TLL
2100901	007000	80800			500N/F/0.72(22)/a/51
2100904		80839			500N/F/0.72(22)/d/51
2100905	007050	80830			500N/R/0.72(22)/a/51
2100911		80820			500N/TLL
2101402	002301	80365			10N/F/0.72/b/51R
2101502	003300	80419			25N/F/0.72(22s)/b/51R
2101502		80465			25N/F/0.72(22s)/b/51R
2101602	004300	80565			50N/F/0.72(22s)/b/51R
2101702	005300	80665			100N/F/0.72(22s)/b/51
2101802	006300	80765			250N/F/0.72(22)/b/51R
2101902	007300	80865			500N/F/0.72(22)/b/51R
2104303	001800	87988			5N/F/0.47(26s)/c/42/HP
2104305	001810	87987			5N/F/0.64(23s)/c/42/HP
2104307	001805	87958			5N/R/0.64(23s)/c/42/HP
2104308	001825	87959			5N/R/0.64-0.47(23s-26s)/c/42/HP
2104309	001815	87957			5N/R/0.47(26s)/c/42/HP
2104313	001804	87989			5N/F/0.47(26s)/c/42/HP 6-pack
2104314	001822	87994			5N/F/0.64-0.47(23s-26s)/c/42/HP 6-pack
2104315	001814	87990			5N/F/0.64(23s)/c/42/HP 6-pack
2104403	002800	80388			10N/F/0.47(26s)/c/42HP
2104404	002821	80393			10N/F/0.64-0.47(23s-26s)/c/42HP
2104405	002810	80387			10N/F/0.64(23s)/c/42HP
2104407	002805	80358			10N/R/0.47(26s)/c/42HP
2104408	002825	80359			10N/R/0.64-0.47(23s-26s)/c/42HP
2104409	002815	80357			10N/F/0.64(23s)/c/42HP
2104413	002814	80389			10N/F/0.47(26s)/c/42HP6-pk

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2104414	002822	80391			10N/F/0.64-0.47(23s-26s)/c/42HP6-pk
2104415	002804	80390			10N/F/0.64(23s)/c/42HP6-pk
2106302	001982	203189			5µlN/F/0.47(26s)/c/51 CTC
2106401	002980	202201			10N/F/0.52(25)/a/51
2106401		203072			10N/F/0.47(26s)/c/80
2106412	002992	202066			10N/F/0.47(26s)/c/80
2106416		203205			10N/F/0.47(26s)/c/51 CTC
2108302	001953	88040			5N/F/0.47(26s)/c/70PE
2108303	001954				5N/F/0.63(23s)/c/70PE
2142403	002520	87402			10N/R/FS/0.17/b/100
2200101		80135			1T/R/0.47/a/70
2200102	000570	80100			1T/R/0.47/b/70
2200301	000803	88011			5T/R/0.55/a/70
2200301		200305			5T/R/0.55/a/70
2200302	000802	88000			5T/R/0.55/b/70
2400501	003600				25G/F/0.72/a/51
2400505	003610				25G/R/0.72/a/51
2400601	004600				50G/F/0.72/a/51
2400605	004610				50G/R/0.72/a/51
2400701	005600				100G/F/0.72/a/51
2400705	005610				100G/R/0.72/a/51
2400801	006600				250G/F/0.72/a/51
2400805	006610				250G/R/0.72/a/51
2400901	007600				500G/F/0.72/a/51
2400905	007610				500G/R/0.72/a/51
2500301		84850			10SN/R/0.47(26s)/a/51
2500305		84851			10SN/R0.47(26s)/a/51
2500401	002400	84852			10SN/F/0.47(26s)/a/51
2500405	002450	84853			10SN/R/0.47(26s)/a/51

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2500501	003000	84854			25SN/F/0.72(22s)/a/51
2500505	003050	84855			25SN/R/0.72(22s)/a/51
2500601	004000	84856			50SN/F/0.72(22s)/a/51
2500605	004050	84857			50SN/R/0.72(22s)/a/51
2500701		84858			100SN/F/0.72(22s)/a/51
2500705	005050	84859			100SN/R/0.72(22s)/a/51
2500801	006000	84860			250SN/F/0.72(22)/a/51
2500805	006050	84861			250SN/R/0.72(22)/a/51
2506401		84875			10SH/F/0.47(26s)/a/51
2506405	002455	84877			10SH/R/0.47(26s)/a/51
2506501	003200	84878			25SH/F/0.72(22s)/a/51
2506505	003250	84880			25SH/R/0.72/a/51
2506601	004200	84881			50SH/F/0.72/a/51
2506605	004250	84883			50SH/R/0.72/a/51
2506701	005200	84884			100SH/F/0.72/a/51
2506705	005250	84886			100SH/R/0.72/a/51
2506801	006200	84887			250SH/F/0.72(22)/a/51
2506805	006250	84889			250SH/R/0.72(22)/a/51
2600000		81317			1.0mlH/F/0.72(22)/a/51
2600001		81316			1.0mlH/F/0.72(22)/b/51
2600002		81343			1.0mlH/F/0.72(22)/d/51
2600005	008100	81330			1.0mlH/R/0.72(22)/a/51
2600006		81365			1.0mlH/R/0.72(22)/b/51
2600014	008025	81301			1.0mlH/ILT
2600020		81417			2.5mlH/F/0.72(22)/a/51
2600021		81416			2.5mlH/F/0.72(22)/b/51
2600022		81443			2.5mlH/R/0.72(22)/d/51
2600025	008500	81430			2.5mlH/R/0.72(22)/a/51
2600034	008420	81401			2.5mlH/ILT

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2600040		81517			5.0mlH/F/0.72(22)/a/51
2600041		81516			5.0mlH/F/0.72(22)/b/51
2600042		81543			5.0mlH/F/0.72(22)/d/51
2600045	008700	81530			5.0mlH/R/0.72(22)/a/51
2600054		81501			5.0mlH/TLT
2600060		81617			10mlH/F/0.72(22)/a/51
2600061		81616			10mlH/F/0.72(22)/b/51
2600062		81643			10mlH/F/0.72(22)/d/51
2600065	008900	81630			10mlH/R/0.72(22)/a/51
2600074		81601			10mlH/TLT
2600401	002200	80000			10H/F/ 0.47(26s)/a/51
2600402		80075			10H/F/0.47(26s)/b/51
2600404	002250+037410	80039			10H/F/0.47(26)/d/51
2600405	002250	80011			10H/R/ 0.47(26s)/a/51
2600405		80030			10H/R/ 0.47(26s)/a/51
2600412		80001			10H/LT
2600501	003200	80200			25H/F/0.72(22s)/a/51
2600504	003250+038410	80239			25H/F/0.72(22s)/d/51
2600505	003250	80230			25H/R/0.72(22s)/a/51
2600511		80201			25H/LT
2600601	004200	80900			50H/F/0.72(22s)/a/51
2600604		80939			50H/R/0.72(22)/d/51
2600605	004250	80930			50H/R/0.72(22s)/a/51
2600613	004229	80501			50H/TLT
2600613	004229	80901			50H/TLT
2600701	005200	81000			100H/F/0.72(22s)/a/51
2600704		81039			100H/F/0.72(22)/d/51
2600705	005250	81030			100H/R/0.72(22s)/a/51
2600713	005229	80601			100H/TLT

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2600713	005229	81001			100H/TLT
2600801	006200	81100			250H/F/0.72(22)/a/51
2600804		81139			250H/F/0.72(22)/d/51
2600805	006250	81130			250H/R/0.72(22)/a/51
2600813	006229	80701			250H/TLT
2600813	006229	81101			250H/TLT
2600905	007250	81230			250H/R/0.72(22)/a/51
2600913	007229	80801			500H/TLT
2600913	007229	81201			500H/TLT
2601406	002313	80065			10H/R/0.72/b/51R
2601502		80275			25H/F/0.72(22s)/b/51R
2601506	003312	80265			25H/R/0.72(22s)/b/51R
2601602		80975			50H/F/0.72(22s)/b/51R
2601606	004312	80965			50H/R/0.72(22s)/b/51R
2601702		81075			100H/F/0.72(22s)/b/51R
2601706	005312	81065			100H/R/0.72(22s)/b/51R
2601802		81175			250H/F/0.72(22)/b/51R
2601806	006312	81165			250H/R/0.72(22)/b/51R
2601906	007312	81265			250H/R/0.72(22)/b/51R
2602406		80038			10H/R/0.50/b/50W
2602506	003750	80238			25H/R/0.50/b/50W
2602606	004375	80938			50H/R/0.50/b/50W
2602706	005250	81038			100H/R/0.50/b/50W
2602806	006375	81138			250H/R/0.50/b/50W
2603009		81331			1.0mlH/R/0.72(22)/b/19
2603507		80231			25H/R/0.72(22s)/b/19
2603607		80931			50H/R/0.72(22s)/b/19
2603707		81031			100H/R/0.72(22s)/b/19
2603807		81131			250H/R/0.72(22)/b/19

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2603907		81231			500H/R/0.72(22)/b/19
2604304	001821	80076			5H/F/0.64-0.47(23s-26s)/c/42HP
2604305	002812	80074			5H/F/0.64(23s)/c/42 HP
2604308	001825	80086			5H/R/0.64-0.47(23s-26s)/c/42HP
2604309	001815	80084			5H/R/0.64(23s)/c/42HP
2604314	001822	80092			5H/F/0.64-0.47(23s-26s)/c/42HP6-pk
2604315	001814	80090			5H/F/0.64(23s)/c/42HP6-pk
2604404	002826	80079			10H/F/0.64-0.47(23s-26s)/c/42HP
2604405	002812	80080			10H/F/0.64(23s)/c/42HP
2604407	002817	80088			10H/R/0.47(26s)/c/42HP
2604408	002829	80089			10H/R/0.64-0.47(23s-26s)/c/42HP
2604409	002818	80087			10H/R/0.64(23s)/c/42HP
2604414	002827	80096			10H/F/0.64-0.47(23s-26s)/c/42HP6-pk
2604415	002813	80094			10H/F/0.64(23s)/c/42HP6-pk
2605018		203330			1.0ml AD-PE
2605038		203340			2.5ml AD-PE
2605078		203360			10.0ml AD-PE
2605613		201000			50H/AD
2605818		203310			250µl AD-PE
2605918		203320			500µl AD-PE
2606015	008185	81360			1.0mlH/C
2606035	008687	81460			2.5mlH/C
2606075	008987				10mlH/C
2606415		80062			10µlCX
2606416		203194			10H/F/0.72(22s)/b/51 CTC
2606500	002670	202315			25/H Agilent 1090&1100
2606514		80262			25H/C
2606515	003395	80262			25H/CX
2606615	004995	80962			50µlCX

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2606700		7656-01			100µl Shimadzu SIL6
2606714		81060			100H/C
2606715	005990				100µlCX
2606800	006670	202325			250/H Agilent 1090&l100
2606814		81160			260H/C
2606815	006995	81162			250µlCX
2606914		81260			500H/C
2606915	007995	81262			500µlCX
2607011	008025	81320			1.0mlH/TLL
2607013				725040	1.0ml SYR H-XL PTFE-seal
2607015				725591	1.0ml SYR H XP 1/4"-28UNF PTFE-seal
2607021				728662	1.0ml SYR H-XE 1/4"-28UNF PTFE-seal
2607031	008425	81420			2.5mlH/TLL
2607033				725050	2.5ml SYR H-XL PTFE-seal
2607035				725592	2.5ml SYR H XP 1/4"-28UNF PTFE-seal
2607041				728663	2.5ml SYR H-XE 1/4"-28UNF PTFE-seal
2607051	008762	81520			5.0mlH/TLL
2607053				725060	5.0ml SYR H-XL PTFE-seal
2607061				728664	5.0ml SYR H-XE 1/4"-28UNF PTFE-seal
2607071	008962	81620			10mlH/TLL
2607073				725070	10.0ml SYR H-XL PTFE-seal
2607075				725593	5.0ml SYR H XP 1/4"-28UNF PTFE-seal
2607091		82520			25.0mlH/TLL
2607096				728765	25ml SYR H-XL PTFE-seal
2607101	009660	85020			50.0mlH/TLL
2607103				724765	50ml SYR H-XL PTFE-seal
2607121	009670	86020			100.0mlH/TLL
2607516		80226			25H/DX
2607609	004230	80920			50H/TLL

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2607611				725000	50µl SYR H-XL PTFE-seal
2607615				725676	50µl SYR H XP 1/4"-28UNF PTFE-seal
2607618		201500			50H/DAD
2607709	005230	81020			100H/TLL
2607711				725010	100µl SYR H-XL PTFE-seal
2607715				725682	100µl SYR H XP 1/4"-28UNF PTFE-seal
2607809	006230	81120			250H/TLL
2607811				725020	250µl SYR H-XL PTFE-seal
2607815				725589	250µl SYR H XP 1/4"-28UNF PTFE-seal
2607817		81122			250H/TLL-X
2607909	007230	81220			500H/TLL
2607911				725030	500µl SYR H-XL PTFE-seal
2607915				725590	500µl SYR H XP 1/4"-28UNF PTFE-seal
2607921				728661	500µl SYR H-XE 1/4"-28UNF PTFE-seal
2608015			17596		1.0ml SYR H-KP 1/4"-28 UNF PTFE-seal
2608035			17598		2.5ml SYR H-KP 1/4"-28 UNF PTFE-seal
2608055			17599		5.0ml SYR H-KP 1/4"-28 UNF PTFE-seal
2608075			17600		10.0ml SYR H-KP 1/4"-28 UNF PTFE-seal
2608091			17601		25.0ml SYR H-KP 1/4"-28 UNF PTFE-seal
2608105			17602		50.0ml SYR H-KP 1/4"-28 UNF PTFE-seal
2608515			17591		25µl SYR H-KP 1/4"-28 UNF PTFE-seal
2608615			17592		50µl SYR H-KP 1/4"-28 UNF PTFE-seal
2608715			17593		100µl SYR H-KP 1/4"-28 UNF PTFE-seal
2608815			17594		250µl SYR H-KP 1/4"-28 UNF PTFE-seal
2608915			17595		500µl SYR H-KP 1/4"-28 UNF PTFE-seal
2611911	007660	160310			500H/Hitachi
2620012		203082			1.0mlH/LT/F/0.64(23)/d/51 CTC
2620014		203141			1.0mlH/LT/F/0.47(26)/d/51 CTC

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2620032		203084			2.5mlH/LT/F/0.64(23)/d/51 CTC
2620034		203181			2.5mlH/LT/F/0.47(26)/d/51 CTC
2620050		203086			5.0mlH/LT/F/0.64(23)/d/51 CTC
2620051		203182			5.0mlH/LT/F/0.47(26)/d/51 CTC
2620502		203075			25H/F/0.72(22s)/b/51 CTC
2620506		203043			25H/F/ 0.47(26s)/c/51 CTC
2620506		203074			25H/F/0.47(26s)/c/51 CTC
2620702		203077			100H/F/0.72(22s)/b/51 CTC
2620705		203235			100H/F/0.72(22)/b/51
2620706		203076			100H/F/ 0.47(26s)/c/51 CTC
2620803		203078			250H/F/0.47(26s)/c/51 CTC
2620805		203079			250H/F/0.72(22)/b/51 CTC
2620903		203080			500H/F/ 0.47(26)/c/51 CTC
2620903		203080			500H/F/0.47(26s)/c/51 CTC
2626018		203420			1.0ml DAD-PE
2626818		203400			250µl DAD-PE
2626918		203410			500µl DAD-PE
2627018		203470			1.0ml DX-PE
2627818		203450			250µl DX-PE
2627918		203460			500µl DX-PE
2641018		203240			1.0ml TLL-PE
2641038		203250			2.5ml TLL-PE
2641058		203260			5.0ml TLL-PE
2641078		203270			10.0ml TLL-PE
2641818		203220			250µl TLL-PE
2641918		203230			500µl TLL-PE
2645018		203510			1.0ml XL-PE
2645038		203515		730879	2.5ml SYR H-XL PE-HD-seal
2645058		203520		728273	5.0ml SYR H-XL PE-HD-seal

ILS	SGE	Hamilton	Kloehn	Cavro/Tecan	Description
2645078		203525		730405	10.0ml SYR H-XL PE-HD-seal
2645718				725480	100µl SYR H-XL PE-HD-seal
2645818		203500			250µl XL-PE
2645918		203505			500µl XL-PE
2647018				730141	1.0ml SYR H-PE XP 1/4"-28UNF PE-HD
2647018		203540			1.0ml XP-PE
2647038		203545		728357	2.5ml SYR H-PE XP 1/4"-28UNF PE-HD
2647078		203550		729936	5.0ml SYR H-PE XP 1/4"-28UNF PE-HD
2647818		203530			250µl XP-PE
2647918		203535			500µl XP-PE
2663514	003990	80020			25µl WISP
2663814	006690	80024			250µl WISP